

2017

MyApps.UTSA.edu

Hosted Applications

Guide to using myUTSA Apps
Version 2.0



Contents

1) Overview	3
2) Install the Citrix Client on a PC.....	3
3) Accessing local drives and resources on a PC with Web Client installed.....	7
4) Install the Citrix Web Client on a MAC.....	10
5) Accessing local drives and resources on a MAC with Web Client installed.....	18
6) Configure the Citrix Receiver on a Mac to not require the Web Browser to remain open.....	20
7) Configure the Citrix Receiver on iOS.....	23
8) Accessing local drives and resources on an iOS device	27
9) Configure the Citrix Receiver on Android	30
10) Accessing local drives and resources on an Android device.....	36


Overview

The Citrix receiver allows users of any Windows®, Mac, Linux, iOS or Android operating system to connect to myUTSA Apps and is designed to work with myUTSA Apps, allowing you to launch applications and define settings. Using this web based method is the easiest way to connect to myUTSA Apps since all of your application icons are automatically generated and all of your printers and drives are automatically mapped to the myUTSA Apps session.

Before using the myUTSA Apps Web Interface on a Windows® PC or Mac the client needs to be installed on your operating system. This document outlines the steps involved in browsing to the myUTSA Apps Web Interface and installing the Citrix Receiver Plugin for a PC.

Install the Citrix Client on a PC


1. Browse to <https://receiver.citrix.com> and download and open the Citrix receiver installer. (The site will detect the Operating System you are on and provide a link to the appropriate client)



2. Start the installation




3. Read the license agreement, if you accept the license, check the accept box, select Next




4. Leave Enable single sign-on unchecked, select next




5. Choose if you'd like to join the improvement program or not, select Install




6. When has been sucessfully the client is installed, select Finish




7. Once the client is installed, browse to the myUTSA Apps web interface <https://myapps.utsa.edu> and enter your myUTSA ID & password in and click the Logon button.




- Applications are grouped into folder name. To access, click the application folder, in this example, MathCAD.



- Component applications are displayed in the pop-out window, the example shown has one component application. Click the application you want to launch.




- A pop-up window will be displayed indicating that the application is making a connection and is about to launch




Accessing local drives and resources on a PC with Web Client installed

Local resources (Local Hard Drives/USB sticks etc.) are displayed under the Other category when opening and saving a files, named as <Device Type> on <Your Computer Name>


Always save your work to local resources or Network Shares (I: Drive / S: Drive).*




The first time access to local resources is made, a request will pop-up requesting access. Select the appropriate access level you require. If you are accessing from a trusted computer and know the access level you need always, you can check the do not ask me again for this site and you won't be prompted again.




If the access level you selected needs to be changed this is amended under the connection center option from the Citrix client. Right click on the Citrix client icon in the task tray and select Connection Center



Select the server that is hosting the application running and select Preferences




Change the access permissions under File Access and select OK




Install the Citrix Web Client on a MAC

IMPORTANT NOTE: The Web Client requires that the browser remains open when using MyApps hosted applications, if it closed mid-session all MyApps hosted applications will lose connectivity and potential lose any data being worked on.


1. Browse to <https://receiver.citrix.com> and download and open the Citrix receiver installer.




2. Safari may pop up with a certificate error, select continue



3. Browse to the Downloads folder and run the CitrixReceiverWeb.dmg




4. Select Install Citrix Receiver



Citrix Receiver


5. Select Continue




6. Select Continue




7. Read the license agreement and select continue




8. If you agree to the license agreement, select Agree




9. The location of install can be changed or select **Install** to accept the default client install location




10. Enter in your Mac credentials to authorize the install and select **Install Software**



11. Installation will start



12. Once installation has completed, select Close



13. Eject the mounted DMG file and delete installer (DMG) if desired
14. Once the client is installed, browse to the myUTSA Apps web interface <https://myapps.utsa.edu> and enter your myUTSA ID & password in and click the Logon button.

The screenshot displays the myUTSA Apps web interface. On the left, there is a 'Secure Logon for UTSA myApps' section with a red circle highlighting the 'myUTSA ID' and 'Passphrase' input fields and the 'Logon' button. The main content area features 'Support Hours of Operation' information, including 'On Campus' and 'Off-Campus' hours, and a note about weekly maintenance. At the bottom, there are images of a desktop monitor, a laptop, a tablet, and a smartphone, all displaying the UTSA Faculty / Staff interface.

UTSA
myUTSA Apps

Secure Logon
for UTSA myApps

myUTSA ID

Passphrase

Logon

Support Hours of Operation

On Campus:
Assistance is available at any Student Computing Services Lab.
Lab hours of operation can be found on the OIT Website.

Off-Campus:
7:00 a.m. - 7:00 p.m. Monday – Thursday
7:00 a.m. – 5:00 p.m. Friday

Contact OITConnect at 210-458-5555


Note: The myUTSA Apps system is taken down for maintenance weekly at 12:00 – 12:15 a.m. on Fridays. Please ensure you save your work and log off the system before the reboot.

UTSA Faculty / Staff


UTSA Faculty / Staff

UTSA

15. Select the application folder and application to launch and click to launch



16. Application launch status will be displayed and the citrix reciever will show in the applciation bar as active



****NOTE****

The application will launch on Desktop 1 initially but can be moved to alternative Desktops through mission control once launched

Accessing local drives and resources on a MAC with Web Client installed

Local resources (Local Hard Drives/USB sticks etc.) are displayed under the Other category under Computer when opening and saving a files, named as

<Device Type> (<DRIVE LETTER> on <Your Computer Name>)


Always save your work to local resources or Network Shares (I: Drive / S: Drive).*

For the below example:


Local Disk (C: on iMac) is the root of the Hard drive (excluding vizability to system folders)

Local Disk (H: on iMac) is the current users home folder


Removable Disk (E: on iMac) is a remoable device (eg. USB Stick)




The first time access to local resources is made, a request will pop-up requesting access. Select the appropriate access level you require. If you are accessing from a trusted computer and know the access level you need always, you can check the do not ask me again for this site and you won't be prompted again.



If permissions need to be altered for local resources, select Preferences from the Citrix Viewer from the system menu




Amending the permissions from the Devices tab




Configure the Citrix Receiver on a Mac to not require the Web Browser to remain open


1. Follow the instructions to [Install the Citrix Web Client on a MAC](#)
2. Open the Citrix Receiver from Applications




3. When prompted for a server address, enter in <https://myapps.utsa.edu>




4. Login with your UTSA Credentials




5. Add your favorite applications to the Citrix Receiver window by clicking on the +




6. Select the application group and the associated application



- The application will be added to the main Citrix Receiver window, repeat step 6 with an additional applications you want to add to your favorite's window (these will remain in place each time you open up the receiver client). Launch the application by clicking on the icon in your favorites window



- The Citrix Receiver will provide a status window and launch the applications selected




- Configuration of local resource access is the same as [Accessing local drives and resources on a MAC with Web Client installed](#)

Configure the Citrix Receiver on iOS


1. Open the Apple AppStore and search for Citrix Receiver




2. Download and install the Citrix Receiver, entering in your Apple ID / Credentials when prompted




- Once installed, open the Citrix Receiver and select Add Account




- Enter in the address as `myapps.utsa.edu` and select Next




- The address should translate to <https://myapps.utsa.edu> automatically, enter in your UTSA credentials and add the domain name as `utsarr.net` and select Save




6. Launch the Citrix Receiver from the iOS Launcher
7. Add your favorite applications to the Citrix Receiver window by clicking on the +




8. Select the application group




9. Select the + to add it to your Citrix Receiver favorites



10. The application will be added to the main Citrix Receiver window, repeat step 6 with an additional applications you want to add to your favorite's window (these will remain in place each time you open up the receiver client). Launch the application by clicking on the icon in your favorites window




11. The Citrix Receiver will provide a status window and launch the applications selected




Accessing local drives and resources on an iOS device

1. Once an application is launched the local resources will be shown as Local Disk under Computer (C: on <Owner Name> iPad)




2. With the following locations available to use for local storage




3. To return to the Citrix Receiver window select the Citrix Receiver menu bar (Top Center of the screen and drag down to display options – Home returns to the Receiver window)



4. Access settings for the iOS client can be configured from cog in top right of the Citrix Receiver




5. To logout of your MyApps session select the person icon (Top right of the Citrix receiver) and select Log Off



Configure the Citrix Receiver on Android


1. From the Google Play store search for Citrix Receiver and Citrix Receiver



2. Select Install




3. If you accept the permissions requested, select **Accept**




4. Once installed select **OPEN**




5. Select Add Account



6. Enter in the Address as Myapps . utsa . edu and select Next



7. Enter in your UTSA credentials, Domain as `utsarr.net` and select Add




The screenshot shows the 'Citrix Receiver™ Add Account' screen. The fields are filled with the following information:


- Address: `https://f5.plugins2.utsa.edu`
- Description: `myapps.utsa.edu`
- User Name: `abc123` (circled in red)
- Password: `Optional`
- Domain: `utsarr.net` (circled in red)
- Security Token options: `Domain Only`

At the bottom, there are two buttons: 'Cancel' and 'Add' (circled in red).


8. Select the `myapps.utsa.edu` account




9. Enter in your UTSA password and select connect




10. Select the application's folder that you want to launch e.g. ChemDraw




11. Select the application to launch it



12. *Optionally* the application can be added to your Favorites list or to your Android devices home screen by holding the application and selecting one of the three options




13. The first time an application is launched the Gestures screen will be shown for reference



Accessing local drives and resources on an Android device


1. From the main Citrix Receiver screen select the settings tab




2. Select Advanced and select Use device storage



3. Select the level of access permissions you want to set, typically will be Full Access



4. Once an application is launched the local resources will be shown as Removable Disk (C: on <device name>) under Computer



5. Amendments to keyboard, mouse functions is gained by swiping down on the arrow at the top center of the Citrix receiver when an application has been launched



Showing the following options

